

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. Contract ID Code Firm-Fixed-Price	Page 1 Of 10
2. Amendment/Modification No. 0002		3. Effective Date 2007JUN14		4. Requisition/Purchase Req No. SEE SCHEDULE	
5. Project No. (If applicable)					
6. Issued By U.S. ARMY TACOM LCMC AMSTA-AQ-ATAF STEVEN D. GORSKI (586)574-8293 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL EMAIL: STEVE.GORSKI@US.ARMY.MIL		Code W56HZV		7. Administered By (If other than Item 6) <div style="display: flex; justify-content: space-between;">SCDPASADP PT</div>	
8. Name And Address Of Contractor (No., Street, City, County, State and Zip Code)				<input checked="" type="checkbox"/> 9A. Amendment Of Solicitation No. W56HZV-07-R-0379	
				<input type="checkbox"/> 9B. Dated (See Item 11) 2007MAY17	
				<input type="checkbox"/> 10A. Modification Of Contract/Order No.	
				<input type="checkbox"/> 10B. Dated (See Item 13)	
Code		Facility Code			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. 2007JUN28 01:00pm Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing items 8 and 15, and returning <u>2 signed</u> copies of the amendments: (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. Accounting And Appropriation Data (If required)					
13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS It Modifies The Contract/Order No. As Described In Item 14.					
<input type="checkbox"/> A. This Change Order is Issued Pursuant To: The Changes Set Forth In Item 14 Are Made In The Contract/Order No. In Item 10A.					
<input type="checkbox"/> B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.) Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).					
<input type="checkbox"/> C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of:					
<input type="checkbox"/> D. Other (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the Issuing Office.					
14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) SEE SECOND PAGE FOR DESCRIPTION					
<p>Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.</p>					
15A. Name And Title Of Signer (Type or print)			16A. Name And Title Of Contracting Officer (Type or print)		
15B. Contractor/Offeror (Signature of person authorized to sign)		15C. Date Signed		16B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)	
				16C. Date Signed	
NSN 7540-01-152-8070 PREVIOUS EDITIONS UNUSABLE		30-105-02		STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.243	

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 2 of 10
	PIIN/SIIN W56HZV-07-R-0379	MOD/AMD 0002	

Name of Offeror or Contractor:

SECTION A - SUPPLEMENTAL INFORMATION

The Purpose of Amendment 0002 on Solicitation W56HZV-07-R-0379 is to;

- 1. Extend the closing date from 19 JUN 07 to 28 Jun 07
- 2. Add the following language to the Packaging clause 52.211-4515;
Please refer to the following URL for all 6 pages that formulate SPI AK 13871147 Revision C dated 10-20-98:
<https://www-tdps.tacom.army.mil/phst/SPI/06/37/30.pdf>
- 3. All other terms and conditions remain unchanged.

*** END OF NARRATIVE A0001 ***

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0011	<p>SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS</p> <p><u>FIRST ORDERING YEAR</u></p> <p>EST 694</p> <p>KT</p> <p>NSN: 4930-01-387-1147 NOUN: PARTS KIT, SEPARATOR FSCM: 19207 PART NR: 57K0251 SECURITY CLASS: Unclassified</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 57K0251 DATE: 29-JAN-2007</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: REFERENCE PACKAGING CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p>			\$ _____	\$ _____

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0012	<p><u>SECOND ORDERING YEAR</u></p> <p>NSN: 4930-01-387-1147 NOUN: PARTS KIT, SEPARATOR FSCM: 19207 PART NR: 57K0251 SECURITY CLASS: Unclassified</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 57K0251 DATE: 29-JAN-2007</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: REFERENCE PACKAGING CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: OriginACCEPTANCE: Origin</p>	EST 694	KT	\$ _____	\$ _____

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0013	<p><u>THIRD ORDERING YEAR</u></p> <p>NSN: 4930-01-387-1147 NOUN: PARTS KIT, SEPARATOR FSCM: 19207 PART NR: 57K0251 SECURITY CLASS: Unclassified</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 57K0251 DATE: 29-JAN-2007</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: REFERENCE PACKAGING CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: OriginACCEPTANCE: Origin</p>	EST 694	KT	\$ _____	\$ _____

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0014	<p>FOURTH ORDERING YEAR</p> <p>NSN: 4930-01-387-1147 NOUN: PARTS KIT, SEPARATOR FSCM: 19207 PART NR: 57K0251 SECURITY CLASS: Unclassified</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 57K0251 DATE: 29-JAN-2007</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: REFERENCE PACKAGING CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: OriginACCEPTANCE: Origin</p>	EST 694	KT	\$	\$

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0015	<p><u>FIFTH ORDERING YEAR</u></p> <p>NSN: 4930-01-387-1147 NOUN: PARTS KIT, SEPARATOR FSCM: 19207 PART NR: 57K0251 SECURITY CLASS: Unclassified</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: TDP 57K0251 DATE: 29-JAN-2007</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: REFERENCE PACKAGING CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B</p> <p><u>Inspection and Acceptance</u> INSPECTION: OriginACCEPTANCE: Origin</p>	EST 693	KT	\$ _____	\$ _____

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0016	<p>FIRST ARTICLE TEST - SEPARATELY PRICED</p> <p>NSN: 4930-01-387-1147 NOUN: FIRST ARTICLE TEST REPORT SECURITY CLASS: Unclassified</p> <p>Packaging and Marking</p> <p>Inspection and Acceptance INSPECTION: OriginACCEPTANCE: Origin</p>	1	KT	\$ _____	\$ _____

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-R-0379 MOD/AMD 0002	Page 9 of 10
---------------------------	---	----------------------------

Name of Offeror or Contractor:

SECTION D - PACKAGING AND MARKING

<u>Status</u>	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
D-1 CHANGED 52.211-4515 (TACOM)		PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	NOV/2005

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

- (1) LEVEL OF PRESERVATION: Military
- (2) LEVEL OF PACKING: B
- (3) QUANTITY PER UNIT PACKAGE: 001
- (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK13871147

(a) REVISION C

(b) DATE OF REVISION As listed on SPI

(c) THE REQUIRED SPECIAL PACKAGING INSTRUCTION (SPI) IS AVAILABLE ON THE WEB AT THE FOLLOWING URL
<https://packaging.tacom.army.mil/phst/SPI/03/10/99.pdf>

Please refer to the following URL for all 6 pages that formulate SPI AK 13871147 Revision C dated 10-20-98:
<https://www-tdps.tacom.army.mil/phst/SPI/06/37/30.pdf>

(Note: You must have the Adobe Acrobat reader installed on your PC to view the SPI. See the TACOM Acquisition Center web site (<http://contracting.tacom.army.mil/faq.htm>) for information on obtaining the latest version of the reader. If you're experiencing problems opening the Special Packaging Instructions in Adobe .PDF images using Internet Explorer, try the following: Go to "Tools," then "Internet Options." Click on the "Advanced" tab. Scroll down to the "Security" section. Uncheck "Do not save encrypted pages to disk." Click "Apply." Click "OK.")

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."

(4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD) including the required Code 39 and 2D (PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-07-R-0379 MOD/AMD 0002</p>	<p style="text-align: center;">Page 10 of 10</p>
--	---	---

Name of Offeror or Contractor:

DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

(e) Hazardous Materials (As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(g) SUPPLEMENTAL INSTRUCTIONS:
MIL-P-116 METHOD IC-3 IS NOW MIL-STD-2073-1D METHOD 31.MIL-P-116 METHOD III IS NOW MIL-STD-2073-1D METHOD 10.MIL-P-116 METHOD IC-2 IS NOW MIL-STD-2073-1D METHOD 42.MIL-P-116 IS NOW MIL-STD-2073-1D.MIL-C-5501 IS NOW NAS 847.PPP-B-601 IS NOW ASTM D 6251.PPP-T-60 IS NOW ASTM D 5486.MIL-B-117 IS NOW MIL-DTL-117.PPP-B-640 IS NOW ASTM D 5168.MIL-STD-147 IS NOW MIL-HDBK-774.PPP-F-320 IS NOW ASTM D 4727.PPP-B-636 IS NOW ASTM D 5118.UU-P-268 IS NOW A-A-203.PPP-B-621 IS NOW ASTM D 6880.

[End of Clause]